



Ref. Certif. No.

**SG ITS-16702**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product	Mono Crystalline Silicon Terrestrial Photovoltaic Module
Name and address of the applicant	Leapton Solar (Changshu) Co., Ltd. No.55 Sunshine Avenue, Yushan High-tech Industrial Park, Changshu City, Jiangsu Province 215500, P.R. China
Name and address of the manufacturer	Leapton Solar (Changshu) Co., Ltd. No.55 Sunshine Avenue, Yushan High-tech Industrial Park, Changshu City, Jiangsu Province 215500, P.R. China
Name and address of the factory <i>Note. When more than one factory, please report on page 2</i>	Leapton Solar (Changshu) Co., Ltd. No.55 Sunshine Avenue, Yushan High-tech Industrial Park, Changshu City, Jiangsu Province 215500, P.R. China
Ratings and principal characteristics	System voltage 1500V, Class of application A, Class II, Fire resistance Class C, Maximum over-current protection rating 15A
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	-
Model / Type Ref.	See page 2
Additional information (if necessary may also be reported on page 2)	-
A sample of the product was tested and found to be in conformity with	IEC 61215:2005 IEC 61730-1:2004 + A1:2011 + A2:2013 IEC 61730-2:2004 + A1:2011
As shown in the Test Report Ref. No. which forms part of this Certificate	180803041SHA-001, 180803041SHA-002, 180803041SHA-003

This CB Test Certificate is issued by the National Certification Body

Intertek Testing Services (Singapore) Pte Ltd  
5, Pereira Road, #06-01  
Asiawide Industrial Building  
Singapore 368025

Date: 14 December 2018



Signature:

  
Ong Keng Chuan



Ref. Certif. No.

SG ITS-16702

**Model / Type Ref.**

LP156\*156-M-72-xxxW (xxx=325-395 in steps of 5, 72 cells)  
LP156\*156-M-60-xxxW (xxx=275-325 in steps of 5, 60 cells)  
LP156\*156-M-54-xxxW (xxx=245-295 in steps of 5, 54 cells)  
LP156\*156-M-48-xxxW (xxx=220-260 in steps of 5, 48 cells)  
LP156\*156-M-42-xxxW (xxx=190-230 in steps of 5, 42 cells)  
LP156\*156-M-36-xxxW (xxx=165-195 in steps of 5, 36 cells)  
LP156\*156-M-30-xxxW (xxx=140-160 in steps of 5, 30 cells)  
xxx means different maximum output power

Date: 14 December 2018

Signature:



Ong Keng Chuan



Ref. Certif. No.

**SG ITS-16703**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product

Poly Crystalline Silicon Terrestrial Photovoltaic Module

Name and address of the applicant

Leapton Solar (Changshu) Co., Ltd.  
No.55 Sunshine Avenue, Yushan High-tech Industrial Park,  
Changshu City, Jiangsu Province 215500, P.R. China

Name and address of the manufacturer

Leapton Solar (Changshu) Co., Ltd.  
No.55 Sunshine Avenue, Yushan High-tech Industrial Park,  
Changshu City, Jiangsu Province 215500, P.R. China

Name and address of the factory

*Note. When more than one factory, please report on page 2*

Leapton Solar (Changshu) Co., Ltd.  
No.55 Sunshine Avenue, Yushan High-tech Industrial Park,  
Changshu City, Jiangsu Province 215500, P.R. China

Ratings and principal characteristics

System voltage 1500V, Class of application A, Class II, Fire resistance Class C, Maximum over-current protection rating 15A

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

See page 2

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

IEC 61215:2005  
IEC 61730-1:2004 + A1:2011 + A2:2013  
IEC 61730-2:2004 + A1:2011

As shown in the Test Report Ref. No. which forms part of this Certificate

180803041SHA-001, 180803041SHA-002, 180803041SHA-003

This CB Test Certificate is issued by the National Certification Body

Intertek Testing Services (Singapore) Pte Ltd  
5, Pereira Road, #06-01  
Asiawide Industrial Building  
Singapore 368025

**intertek**

Date: 14 December 2018

Signature:

Ong Keng Guan

**Model / Type Ref.**

LP156\*156-P-72-xxxW (xxx=300-360 in steps of 5, 72 cells)  
LP156\*156-P-60-xxxW (xxx=250-300 in steps of 5, 60 cells)  
LP156\*156-P-54-xxxW (xxx=225-270 in steps of 5, 54 cells)  
LP156\*156-P-48-xxxW (xxx=200-240 in steps of 5, 48 cells)  
LP156\*156-P-42-xxxW (xxx=175-210 in steps of 5, 42 cells)  
LP156\*156-P-36-xxxW (xxx=150-180 in steps of 5, 36 cells)  
LP156\*156-P-30-xxxW (xxx=125-150 in steps of 5, 30 cells)  
xxx means different maximum output power

Date: 14 December 2018

Signature:

  
Ong Keng Chuan